

RAW SEQUENCE LISTING

**The Biotechnology Systems Branch of the Scientific and Technical
Information Center (STIC) no errors detected.**

Application Serial Number: 10/537,088
Source: JFWP
Date Processed by STIC: 08/02/2006

ENTERED



IFWP

RAW SEQUENCE LISTING

DATE: 08/02/2006

PATENT APPLICATION: US/10/537,088

TIME: 09:11:00

Input Set : A:\16096.seq.txt

Output Set: N:\CRF4\08022006\J537088.raw

3 <110> APPLICANT: XENOME LTD
 4 LEWIS, Richard James
 5 ALEWOOD, Paul Francis
 6 ALEWOOD, Dianne
 7 PALANT, Elka
 9 <120> TITLE OF INVENTION: NOVEL CHI-CONOTOXIN PEPTIDES (-II)
 11 <130> FILE REFERENCE: 12373580/JGC
 C--> 13 <140> CURRENT APPLICATION NUMBER: US/10/537,088
 C--> 13 <141> CURRENT FILING DATE: 2005-06-02
 13 <150> PRIOR APPLICATION NUMBER: US 60/430307
 14 <151> PRIOR FILING DATE: 2002-12-02
 16 <160> NUMBER OF SEQ ID NOS: 215
 18 <170> SOFTWARE: PatentIn version 3.2
 20 <210> SEQ ID NO: 1
 21 <211> LENGTH: 13
 22 <212> TYPE: PRT
 23 <213> ORGANISM: Conus marmoreus
 26 <220> FEATURE:
 27 <221> NAME/KEY: MISC_FEATURE
 28 <222> LOCATION: (12)..(12)
 29 <223> OTHER INFORMATION: Xaa is 4-hydroxyproline
 31 <400> SEQUENCE: 1
 W--> 33 Asn Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
 34 1 5 10
 37 <210> SEQ ID NO: 2
 38 <211> LENGTH: 13
 39 <212> TYPE: PRT
 40 <213> ORGANISM: Conus marmoreus
 43 <220> FEATURE:
 44 <221> NAME/KEY: MISC_FEATURE
 45 <222> LOCATION: (12)..(12)
 46 <223> OTHER INFORMATION: Xaa is 4-hydroxyproline
 48 <400> SEQUENCE: 2
 W--> 50 Val Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
 51 1 5 10
 54 <210> SEQ ID NO: 3
 55 <211> LENGTH: 10
 56 <212> TYPE: PRT
 57 <213> ORGANISM: Artificial Sequence
 59 <220> FEATURE:
 60 <223> OTHER INFORMATION: synthetic
 63 <220> FEATURE:
 64 <221> NAME/KEY: MISC_FEATURE

(pg 812)
 13

RAW SEQUENCE LISTING

DATE: 08/02/2006

PATENT APPLICATION: US/10/537,088

TIME: 09:11:00

Input Set : A:\16096.seq.txt

Output Set: N:\CRF4\08022006\J537088.raw

```

65 <222> LOCATION: (8)..(9)
66 <223> OTHER INFORMATION: Xaa is independently absent or represent any amino acid
residue
67     except Cys
69 <400> SEQUENCE: 3
W--> 71 Cys Cys Gly Tyr Lys Leu Cys Xaa Xaa Cys
72 1           5           10
75 <210> SEQ ID NO: 4
76 <211> LENGTH: 14
77 <212> TYPE: PRT
78 <213> ORGANISM: Artificial Sequence
80 <220> FEATURE:
81 <223> OTHER INFORMATION: synthetic
84 <220> FEATURE:
85 <221> NAME/KEY: MISC_FEATURE
86 <222> LOCATION: (1)..(1)
87 <223> OTHER INFORMATION: Xaa is selected from Trp, DTrp, Tyr, Phe, hPhe, Ala,
88     O-methyl-L-tyrosine, Arg, benzoyl, naphthyl, ornithine, L or D
89     pyroglutamic acid and a deletion
91 <220> FEATURE:
92 <221> NAME/KEY: MISC_FEATURE
93 <222> LOCATION: (2)..(2)
94 <223> OTHER INFORMATION: Xaa is selected from Arg, Ala, Asn, Lys, Phe, L-beta-
homolysine,
95     L-ornithine, Lys, DArg, L-norleucine, Dlys, L-Lysine(dimethyl),
96     DAsn, Thr, 2-aminobenzoyl (anthraniloyl), naphthyl, L-citrulline,
97     Val, Tyr, Trp, L or D-pyroglutamic acid or a deletion
99 <220> FEATURE:
100 <221> NAME/KEY: MISC_FEATURE
101 <222> LOCATION: (3)..(3)
102 <223> OTHER INFORMATION: Xaa is selected from Gly, Asp, Lys, Arg, Ala, Nle, Ser or
Phe
104 <220> FEATURE:
105 <221> NAME/KEY: MISC_FEATURE
106 <222> LOCATION: (4)..(4)
107 <223> OTHER INFORMATION: Xaa is selected from Val, Leu, Nle, Ile, Thr, Ala, Asn, Trp,
Phe
108     and Abu
110 <220> FEATURE:
111 <221> NAME/KEY: MISC_FEATURE
112 <222> LOCATION: (12)..(13)
113 <223> OTHER INFORMATION: Xaa are independently absent or represent any amino acid
residue
114     except Cys
116 <400> SEQUENCE: 4
W--> 118 Xaa Xaa Xaa Xaa Cys Cys Gly Tyr Lys Leu Cys Xaa Xaa Cys
119 1           5           10
122 <210> SEQ ID NO: 5
123 <211> LENGTH: 14
124 <212> TYPE: PRT
125 <213> ORGANISM: Artificial Sequence
127 <220> FEATURE:
128 <223> OTHER INFORMATION: synthetic

```

131 <220> FEATURE:

RAW SEQUENCE LISTING

DATE: 08/02/2006

PATENT APPLICATION: US/10/537,088

TIME: 09:11:00

Input Set : A:\16096.seq.txt

Output Set: N:\CRF4\08022006\J537088.raw

132 <221> NAME/KEY: MISC_FEATURE
 133 <222> LOCATION: (1)..(1)
 134 <223> OTHER INFORMATION: Xaa is selected from L or D-pyroglutamic acid, Pro,
 135 4-hydroxyproline or an N-acetylated amino acid residue
 137 <220> FEATURE:
 138 <221> NAME/KEY: MISC_FEATURE
 139 <222> LOCATION: (2)..(2)
 140 <223> OTHER INFORMATION: Xaa is selected from Arg, DArg, Asn, DAsn, Lys, Thr, DLys,
 141 L-beta-homolysine, L-ornithine, L-norleucine,
 142 L-lysine(dimethyl), 2-aminobenzoyl(anthraniloyl), naphthyl,
 143 L-citrulline, Val and a deletion
 145 <220> FEATURE:
 146 <221> NAME/KEY: MISC_FEATURE
 147 <222> LOCATION: (3)..(3)
 148 <223> OTHER INFORMATION: Xaa is selected from Gly, Asp, Lys, Arg, Ala, L-norleucine
 and
 149 Ser
 151 <220> FEATURE:
 152 <221> NAME/KEY: MISC_FEATURE
 153 <222> LOCATION: (4)..(4)
 154 <223> OTHER INFORMATION: Xaa is selected from Val, Leu, L-norleucine, Ile, Thr, Ala
 and
 155 L-alpha-aminobutyric acid
 157 <220> FEATURE:
 158 <221> NAME/KEY: MISC_FEATURE
 159 <222> LOCATION: (12)..(13)
 160 <223> OTHER INFORMATION: Xaa are independently absent or represent any amino acid
 residue
 161 except Cys
 163 <400> SEQUENCE: 5
 W--> 165 Xaa Xaa Xaa Xaa Cys Cys Gly Tyr Lys Leu Cys Xaa Xaa Cys
 166 1 5 10
 169 <210> SEQ ID NO: 6
 170 <211> LENGTH: 13
 171 <212> TYPE: PRT
 172 <213> ORGANISM: Artificial Sequence
 174 <220> FEATURE:
 175 <223> OTHER INFORMATION: synthetic
 178 <220> FEATURE:
 179 <221> NAME/KEY: MISC_FEATURE
 180 <222> LOCATION: (1)..(1)
 181 <223> OTHER INFORMATION: Xaa is selected from Arg, DArg, L-lysine(dimethyl), L-
 ornithine
 182 or L-beta-homolysine
 184 <220> FEATURE:
 185 <221> NAME/KEY: MISC_FEATURE
 186 <222> LOCATION: (2)..(2)
 187 <223> OTHER INFORMATION: Xaa is selected from Gly, Asp, Lys, Arg, Ala, L-norleucine
 and
 188 Ser
 190 <220> FEATURE:
 191 <221> NAME/KEY: MISC_FEATURE
 192 <222> LOCATION: (3)..(3)

193 <223> OTHER INFORMATION: Xaa is selected from Val, Leu, L-norleucine, Ile, Thr, Ala
and

RAW SEQUENCE LISTING

DATE: 08/02/2006

PATENT APPLICATION: US/10/537,088

TIME: 09:11:00

Input Set : A:\16096.seq.txt

Output Set: N:\CRF4\08022006\J537088.raw

```

194      L-alpha-aminobutyric acid
196 <220> FEATURE:
197 <221> NAME/KEY: MISC_FEATURE
198 <222> LOCATION: (11)..(12)
199 <223> OTHER INFORMATION: Xaa are independently absent or represent any amino acid
residue
200      except Cys
202 <400> SEQUENCE: 6
W--> 204 Xaa Xaa Xaa Cys Cys Gly Tyr Lys Leu Cys Xaa Xaa Cys
      205 1          5          10
208 <210> SEQ ID NO: 7
209 <211> LENGTH: 13
210 <212> TYPE: PRT
211 <213> ORGANISM: Conus marmoreus
214 <220> FEATURE:
215 <221> NAME/KEY: MISC_FEATURE
216 <222> LOCATION: (12)..(12)
217 <223> OTHER INFORMATION: Xaa is 4-hydroxyproline
219 <400> SEQUENCE: 7
W--> 221 Gly Val Cys Cys Gly Tyr Lys Leu Cys Cys His Xaa Cys
      222 1          5          10
225 <210> SEQ ID NO: 8
226 <211> LENGTH: 11
227 <212> TYPE: PRT
228 <213> ORGANISM: Conus marmoreus
231 <220> FEATURE:
232 <221> NAME/KEY: MISC_FEATURE
233 <222> LOCATION: (10)..(10)
234 <223> OTHER INFORMATION: Xaa is 4-hydroxyproline
236 <400> SEQUENCE: 8
W--> 238 Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
      239 1          5          10
242 <210> SEQ ID NO: 9
243 <211> LENGTH: 12
244 <212> TYPE: PRT
245 <213> ORGANISM: Conus marmoreus
248 <220> FEATURE:
249 <221> NAME/KEY: MISC_FEATURE
250 <222> LOCATION: (11)..(11)
251 <223> OTHER INFORMATION: Xaa is 4-hydroxyproline
253 <400> SEQUENCE: 9
W--> 255 Gly Ile Cys Cys Gly Val Ser Phe Cys Tyr Xaa Cys
      256 1          5          10
259 <210> SEQ ID NO: 10
260 <211> LENGTH: 11
261 <212> TYPE: PRT
262 <213> ORGANISM: Artificial Sequence
264 <220> FEATURE:
265 <223> OTHER INFORMATION: synthetic
268 <220> FEATURE:

```

RAW SEQUENCE LISTING

DATE: 08/02/2006

PATENT APPLICATION: US/10/537,088

TIME: 09:11:00

Input Set : A:\16096.seq.txt

Output Set: N:\CRF4\08022006\J537088.raw

269 <221> NAME/KEY: MOD_RES
 270 <222> LOCATION: (11)..(11)
 271 <223> OTHER INFORMATION: AMIDATION
 273 <400> SEQUENCE: 10
 275 Ala Cys Cys Gly Tyr Lys Leu Cys Ser Pro Cys
 276 1 5 10
 279 <210> SEQ ID NO: 11
 280 <211> LENGTH: 13
 281 <212> TYPE: PRT
 282 <213> ORGANISM: Artificial Sequence
 284 <220> FEATURE:
 285 <223> OTHER INFORMATION: synthetic
 287 <400> SEQUENCE: 11
 289 Asn Gly Val Cys Cys Gly Tyr Lys Leu Cys Leu Pro Cys
 290 1 5 10
 293 <210> SEQ ID NO: 12
 294 <211> LENGTH: 12
 295 <212> TYPE: PRT
 296 <213> ORGANISM: Artificial Sequence
 298 <220> FEATURE:
 299 <223> OTHER INFORMATION: synthetic
 301 <400> SEQUENCE: 12
 303 Ser Val Cys Cys Gly Tyr Lys Leu Cys Phe Pro Cys
 304 1 5 10
 307 <210> SEQ ID NO: 13
 308 <211> LENGTH: 14
 309 <212> TYPE: PRT
 310 <213> ORGANISM: Artificial Sequence
 312 <220> FEATURE:
 313 <223> OTHER INFORMATION: synthetic
 316 <220> FEATURE:
 317 <221> NAME/KEY: MISC_FEATURE
 318 <222> LOCATION: (8)..(8)
 319 <223> OTHER INFORMATION: Xaa is O-methyl-L-tyrosine
 321 <220> FEATURE:
 322 <221> NAME/KEY: MISC_FEATURE
 323 <222> LOCATION: (13)..(13)
 324 <223> OTHER INFORMATION: Xaa is 4-hydroxyproline
 326 <400> SEQUENCE: 13
 W--> 328 Tyr Arg Gly Leu Cys Cys Gly Xaa Lys Leu Cys Arg Xaa Cys
 329 1 5 10
 332 <210> SEQ ID NO: 14
 333 <211> LENGTH: 14
 334 <212> TYPE: PRT
 335 <213> ORGANISM: Artificial Sequence
 337 <220> FEATURE:
 338 <223> OTHER INFORMATION: synthetic
 341 <220> FEATURE:
 342 <221> NAME/KEY: MISC_FEATURE

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/537,088

DATE: 08/02/2006
TIME: 09:11:01

Input Set : A:\16096.seq.txt
Output Set: N:\CRF4\08022006\J537088.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 12
Seq#:2; Xaa Pos. 12
Seq#:3; Xaa Pos. 8,9
Seq#:4; Xaa Pos. 1,2,3,4,12,13
Seq#:5; Xaa Pos. 1,2,3,4,12,13
Seq#:6; Xaa Pos. 1,2,3,11,12
Seq#:7; Xaa Pos. 12
Seq#:8; Xaa Pos. 10
Seq#:9; Xaa Pos. 11
Seq#:13; Xaa Pos. 8,13
Seq#:14; Xaa Pos. 4,8,13
Seq#:15; Xaa Pos. 1,5,9,14
Seq#:16; Xaa Pos. 8,13
Seq#:17; Xaa Pos. 1,4,8,13
Seq#:18; Xaa Pos. 5,9,14
Seq#:19; Xaa Pos. 1,3,7,9,12
Seq#:20; Xaa Pos. 8,13
Seq#:21; Xaa Pos. 8,13
Seq#:22; Xaa Pos. 5,9,14
Seq#:23; Xaa Pos. 2,5,9,14
Seq#:24; Xaa Pos. 8
Seq#:25; Xaa Pos. 8,13
Seq#:26; Xaa Pos. 13
Seq#:27; Xaa Pos. 1,3,9,12
Seq#:28; Xaa Pos. 5,9,14
Seq#:29; Xaa Pos. 8
Seq#:30; Xaa Pos. 13
Seq#:31; Xaa Pos. 7
Seq#:32; Xaa Pos. 1,3,7,12
Seq#:33; Xaa Pos. 13
Seq#:34; Xaa Pos. 8,13
Seq#:35; Xaa Pos. 7,12
Seq#:36; Xaa Pos. 8
Seq#:37; Xaa Pos. 8
Seq#:39; Xaa Pos. 13
Seq#:40; Xaa Pos. 8
Seq#:41; Xaa Pos. 1,5,9,14
Seq#:42; Xaa Pos. 1,3,7,9,12
Seq#:43; Xaa Pos. 13
Seq#:44; Xaa Pos. 7,12
Seq#:45; Xaa Pos. 1,3,7,12
Seq#:46; Xaa Pos. 8,13
Seq#:47; Xaa Pos. 3,7,9,12
Seq#:48; Xaa Pos. 1,3,7,9,12

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/537,088

DATE: 08/02/2006
TIME: 09:11:01

Input Set : A:\16096.seq.txt
Output Set: N:\CRF4\08022006\J537088.raw

Seq#:49; Xaa Pos. 1,9,12
Seq#:50; Xaa Pos. 4
Seq#:51; Xaa Pos. 1,7,12
Seq#:52; Xaa Pos. 1,3,9,12
Seq#:53; Xaa Pos. 8
Seq#:55; Xaa Pos. 5,9,14
Seq#:56; Xaa Pos. 10

VERIFICATION SUMMARY

DATE: 08/02/2006

PATENT APPLICATION: US/10/537,088

TIME: 09:11:01

Input Set : A:\16096.seq.txt

Output Set: N:\CRF4\08022006\J537088.raw

L:13 M:270 C: Current Application Number differs, Replaced Current Application No
L:13 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:33 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:50 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:71 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:118 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:165 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:204 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:221 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:238 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:255 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:328 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
L:358 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:393 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:418 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:453 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:483 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:523 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:548 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:573 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:603 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:638 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
L:663 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
L:688 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
L:708 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:743 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
L:773 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
L:793 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
L:813 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
L:833 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
L:868 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
L:888 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
L:918 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
L:943 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
L:963 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
L:983 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0
L:1017 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0
L:1037 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:40 after pos.:0
L:1076 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:41 after pos.:0
L:1116 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:0
L:1136 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:43 after pos.:0
L:1165 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44 after pos.:0
L:1200 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:45 after pos.:0
L:1225 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46 after pos.:0
L:1260 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:47 after pos.:0
L:1300 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:48 after pos.:0
L:1330 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:0
L:1354 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:0

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/537,088

DATE: 08/02/2006

TIME: 09:11:01

Input Set : A:\16096.seq.txt

Output Set: N:\CRF4\08022006\J537088.raw

L:1384 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:0
L:1423 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:0
L:1443 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:53 after pos.:0
L:1487 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:0